

RHINO-RACK

CATALOGUE

August 2016



RHINO-RACK HAS BEEN CREATING WORLD-CLASS ROOF RACKS SINCE 1992.

Today we're the proud owner of Australia's most diverse and innovative range of roof rack products, supplying high-quality gear to all industry segments.

We're there for the tradies.

When you need reliable gear that works as hard as you do, look no further than our massive range of Heavy Duty roof racks, ladder racks, trays, conduits and more.

We're there for the sportsmen.

Loading your bikes, kayaks, canoes, skis and snowboards has never been easier - meaning we help you get out on the track, water or slopes quicker than ever before.

We're there for the sun-seekers and nature lovers.

Indulge your taste for adventure with a Rhino foxwing awning, boat loader, luggage basket or fishing-rod holders. Everything the Aussie camper needs for the ultimate getaway.

We're there for the environment.

We think nature is pretty awesome. And if we don't take care of it, our kids and grandkids might not be able to do all the camping, biking, skiing and surfing that we do. So we're committed to minimising our environmental impact across every aspect of the Rhino-Rack business.

Most of all, we're there for the customer.

We're there to offer expert advice, help you choose the perfect roof rack product, and guide you on the best way to fit it to your vehicle.





05



INTRODUCING THE

STEALTHBAR™

ROOF RACK SYSTEMS

- 06 Rail Mount
- 07 2500 Removable
- 08 Gutter Mount
- 09 Fix Point Mount
- 10 Track Mount
- 11 Tracks
- 12 Ditch Bracket
- 13 Backbone Jeep
- 15 Backbone FJ Cruiser
- 16 Backbone Land Cruiser
- 17 Backbone Prado 150
- 18 Backbone Amarok
- 19 Backbone Discovery 4
- 20 Canopy & Utilities
- 23 Spacers
- 25 Masterkey

ACCESSORIES

- 28 Pioneer Tray
- 29 Pioneer Tradie
- 30 Pioneer Platform
- 31 Pioneer Platform Rails

- 31 Pioneer Accessory Bars
- 32 Universal Pioneer Platform
- 34 NEW Pioneer Accessories
- 36 Pioneer Accessories
- 38 Alloy Trays
- 39 Alloy Tray Accessories
- 40 Xtray
- 40 Luggage Bags
- 41 Steel Mesh Platform
- 41 Steel Mesh Baskets
- 42 Locking Tie Down Straps
- 43 Tie Down Straps
- 44 Rooftop Boxes
- 48 Foxwing Awning
- 48 Foxwing Eco Awning
- 49 Sunseeker Awning
- 50 Dome Awning
- 51 Base Tent
- 54 Awning Accessories
- 56 Camping Chair and Stretcher
- 57 Led Lighting
- 59 Kayak Carriers
- 61 SUP & Kayak Accessories
- 62 Kayak Loaders

- 64 Boat Loaders
- 66 Fishing Rod Carriers
- 67 Snowboard & Ski Carriers
- 68 Roof Mounted Bike Carriers
- 70 Rear Mounted Bike Carriers
- 71 Bike Carrier Accessories

TRADE

- 75 Ladder Racks
- 81 Ladder Loader
- 82 Securing
- 83 Conduits
- 84 Brackets



CROSS BAR OPTIONS

HOW MUCH CAN THEY CARRY?

This varies considerably from vehicle to vehicle, so **always check our website** for your specific vehicle model, or speak to your local expert dealer. As an example, our Trackmount systems are rated from 100 kg for a two crossbar system to 150 kg for our 3 bar system. **Always remember that our engineers design all our roof rack systems according to the available capacity of the vehicles roof as specified by the vehicle manufacturer.**

VORTEX [VA]

COLOUR



PERFECT FOR:

Recreational and trade use. This is the most versatile crossbar on the market

- SECURECORE™ locking endcaps included.
- Masterkey™ compatible
- Strong and durable for offroad and commercial use
- Suits most load carrying accessories on the market
- Vortex Generating Strip (VGS) is included
- Extruded structural aluminium curved to suit the contour of your roof

BAR LENGTHS AVAILABLE:


1065mm, 1180mm, 1260mm, 1375mm, 1500mm, 1650mm, 1800mm, 2000mm



MASTERKEY COMPATIBLE

HEAVY DUTY [HD]

COLOUR



PERFECT FOR:

Trade accessories e.g. ladder racks

- Designed for heavy duty use
- Extruded structural aluminium
- Strong and durable for offroad and commercial use
- Large range of commercial carrying solutions available
- Rubber strips included

BAR LENGTHS AVAILABLE:

1120mm, 1250mm, 1375mm, 1500mm, 1650mm, 1800mm, 2000mm, 2400mm



EURO

COLOUR



PERFECT FOR:

Light duty load carrying

- Fits 2500 leg system
- Light weight quality materials
- Accessories available
- Not suitable for offroad or heavy duty commercial use
- Available in black



STEALTHBAR™



The Rhino-Rack Vortex StealthBar™ is a low profile roof rack system for use with factory raised rails. It features adjustable legs, co-moulded stainless steel / rubber locking straps to suit all size rails and comes preassembled for easy installation.

FEATURES:

- Maximum load capacity is 80kg*
- Low profile, sits 35mm above rails
- Steel locks included
- Compatible with all Vortex bar accessories
- 100mm of adjustability
- **VGS™** rubber for low noise
- Locking straps available to suit rails of all sizes
- Contoured to follow your vehicle's roof
- Simple DIY installation

1



100mm of adjustability

2



Compatible with Vortex accessories

3



Contoured Vortex bar

4



VGS™ rubber for low wind noise

5



Available in black and silver bars

RHINO-RACK

1

2

3

4

5

* Refer to the vehicle manufacturers manual


OFFROAD
 PROVEN PRODUCT

STEALTHBAR


MASTERKEY COMPATIBLE

- Black and silver colour options
- It sits 35mm above factory rails making it one of the lowest roof rack system on the market
- Features a slight curve in the bar that compliments your vehicle's roofline



SUITS


VORTEX SX

- Suitable for raised factory rails
- Quick installation
- Engineered fit
- Security fasteners
- Minimal wind noise



SUITS


VORTEX SX


MASTERKEY COMPATIBLE

- Suitable for solid factory rails
- Durable and sleek design
- Quick installation
- Unique internal pad design to suit vehicle specific rails
- Secure Core key locking
- Minimal wind noise



SUITS


CXB

- Factory Rails
- Quick installation
- Security fasteners



SUITS



**EURO 2500****

- Quick to install
- Perfect DIY Kit
- Engineered fit
- Vehicle specific pad design
- Gutterless mounting
- Installation tools included
- Economical
- Load rating 60 kg ^Δ

**VA 2500***

- Quick to install
- Perfect DIY Kit
- Engineered fit
- Vehicle specific pad design
- Gutterless mounting
- Installation tools included
- 50% reduced load capacity for Offroad
- Overhang for maximum load area
- Large range of accessories
- Load rating 75 kg ^Δ

**HD 2500****

- Quick to install
- Perfect DIY Kit
- Engineered fit
- Vehicle specific pad design
- Gutterless mounting
- Installation tools includes
- 50% reduced load capacity for Offroad
- Ideal for ladder loaders
- Overhang for maximum load area
- Load rating 75 kg ^Δ

**2500 RS****

- Quick to install
- Perfect DIY Kit
- Engineered fit
- Vehicle specific pad design
- Gutterless mounting
- Installation tools included
- Slick design with no overhang
- Load rating 75 kg ^Δ

* Key locks included ** Key lock option available ^Δ 50% reduced load capacity for Offroad



OFFROAD
PROVEN PRODUCT



SG GUTTERMOUNT LEG

- Easy to install / remove
- Suitable for light off-road use
- Compatible with a wide range of accessories
- Tested and approved to Australian AS1235-2000 standards

SUITS ☐ ☒ ☐



RL GUTTERMOUNT LEG

- Heavy duty legs to fit to gutter mounts
- Heights available 110mm, 150mm, 210mm, 280mm

SUITS ☐ ☒ ☐



HIGH ROOF GUTTERMOUNT

- Removable
- Easy to install / remove
- Strong and built to last
- Suitable for light off-road use
- Compatible with a wide range of accessories
- Tested and approved to meet Australian Standards AS1235-2000

SUITS ☐ ☒ ☐

OFFROAD
 PROVEN PRODUCT


RLTF

- Sleek in design
- Strong and durable
- Compatible with a wide range of accessories
- Precision fitment parts for your vehicle
- Offers level bars across your vehicle's roof

SUITS



RLCP

- Fits factory mounting points
- Moulded, contoured base

SUITS



2500 FMP

- Specifically moulded to fit the contours of your vehicle's roof
- Also available with bar overhang
- Lockable legs for added security
- Santoprene rubber pads
- Glass Reinforced Nylon legs
- Suitable for light off-road use
- Tested and approved to Australian AS1235-2000 standards

SUITS



RSP

- Specifically moulded to fit the contours of your vehicle's roof
- Available in two different heights
- Lockable legs for added security
- Compatible with a range of accessories
- Suitable for heavy off-road use
- Tested and approved to Australian AS1235-2000 standards

SUITS





SCAN HERE
for specific vehicle
options with our
Roof Rack Selector



RLT600

- Simple, secure, removable
- Single person operation
- Ideal for low clearance
- Simple trigger locking system
- Lockable cover plate with Masterkey™ compatibility
- Maximum load capacity across 2 bars is 100kg (always refer to the vehicle manual)
- Lifetime Warranty

SUITS ☐ ☐ ☐



RLT500

- Compatible with the RTC and RTS tracks.
- Position your roof rack system along the track
- The legs are sold as a pair.

SUITS ☐ ☐ ☐



RLTF/RLTP

- Low profile
- Solid 2 bolt design
- Proven over 20 years
- Available in 80mm or 50mm heights

SUITS ☐ ☐ ☐



RSPT

- Flush bars with no overhang
- Stylish design
- Strong and built to last
- Suitable for heavy off-road use
- Compatible with a wide range of accessories
- Tested and approved to Australian AS1235-2000 standards
- Lifetime Warranty

SUITS ☐ ☐ ☐



Image shows RTS Track



RTV TRACK

- Flat bottomed track designed to sit on the roof of a vehicle
- The most versatile track option
- Sold as a pair.
- Rivets and end caps included
- Suits RLTP/F, RLT600, RLT500 legs

For specific vehicle track listings go to www.rhinorack.com.au



RTS TRACK

- Unique track made for specific vehicles
- Sold as a pair.
- Rivets and end caps included
- Suits RLTP/F, RLT600, RLT500 legs

For specific vehicle track listings go to www.rhinorack.com.au



RTC TRACK

- Made for Canopies
- Sold as a pair.
- T-bolts and end caps included
- Suits RLTP/F, RLT600, RLT500 legs

For specific vehicle track listings go to www.rhinorack.com.au

MAXIMUM ON/OFF ROAD CARRYING CAPACITY

Tracks are our specialty. We have a range of tracks so please contact your Rhino-Rack seller or log on to www.rhinorack.com.au for the best option for you.

Just some of the vehicles we have tracks for:

Canopy / Hard Tonneau Track Mount
Ford Ranger PX
Holden Colorado
Hyundai iLoad
Isuzu D-MAX
Isuzu MU-X
Jeep Wrangler
Mazda BT50
Mercedes Sprinter

Mitsubishi Challenger
Mitsubishi Triton
Mitsubishi Pajero
Nissan Navara
Nissan Pathfinder
Range Rover
Toyota Hilux
Toyota Landcruiser
Toyota Prado
Toyota Rav 4
VW Transporter

DITCH BRACKET



We now have a specialized option for those hard to fit vehicles.

Ditch Brackets provide fixed mounting points to attach roof racks with the highest load capacity for a vehicle*. It is a sleek, clean fit that can be used in conjunction with a range of roof racks.

Ditch brackets require a specialised fit. Please contact your local Rhino-Rack dealer for more information or to organise a fitment.

*Please refer to the vehicle manufacturer's handbook for specific vehicle load ratings.



The Rhino-Rack Backbone is the next addition to the family. This solid stainless steel base that picks up on the factory mounting points in your roof. No other roof rack compares in strength and style. With so many accessories available you will be ready for any adventure.



JEEP



Increase your **Jeep's** load rating up to 120kgs with the Rhino-Rack Backbone System



SYSTEM INCLUDES: Pioneer Platform, Rhino-Rack BACKBONE, Leg Set, Leg Height Spacers



SYSTEM INCLUDES: Pioneer Tradie, Rhino-Rack BACKBONE, Leg Set, Leg Height Spacers

Pioneer System	Pioneer Platform	Pioneer Tradie
Product Image		
Features	Low Profile	Fixed Side Rails
Mount Type	RLT600 or RLCP38/RLCP39	RLT600 or RLCP38/RLCP39
Jeep Wrangler JK 4dr 4WD Hard Top 02/11 On		
Sizes	1828x1426mm / 72x56in	1828x1426mm / 72x56in
RLT600 & RLCP30 Load Rating	Static: 360kg / 800lb Onroad: 120kg / 264lb Offroad: 80kg / 175lb	Static: 360kg / 800lb Onroad: 120kg / 264lb Offroad: 80kg / 175lb
Jeep Wrangler JK 2dr 4WD Hard Top 02/11 On		
Sizes	1328x1426mm / 52x56in	1328x1426mm / 52x56in
RLT600 & RLCP30 Load Rating	Static: 240kg / 530lb Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Static: 240kg / 530lb Onroad: 100kg / 220lb Offroad: 67kg / 148lb

TOYOTA FJ CRUISER



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Tradie Platforms
Product Image			
Features	Low Profile	Fixed Rails	Fixed Side Rails
Mount Type	Rhino-Rack Backbone or RLCP	Rhino-Rack Backbone or RLCP	Rhino-Rack Backbone or RLCP
Sizes Available	2128x1236mm / 83"x48" 2128x1426mm / 83"x56"	2000x1330mm / 79"x52" 2000x1140mm / 79"x45"	2128x1236mm / 83"x48" 2128x1426mm / 83"x56"
TOYOTA FJ Cruiser 2dr 4WD 03/11 On			
Rhino-Rack Backbone Load Rating	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 67kg / 147lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 67kg / 147lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 67kg / 147lb
RLCP25 Load Rating	Onroad: 70kg / 154lb Offroad: 47kg / 103lb	Onroad: 70kg / 154lb Offroad: 47kg / 103lb	Onroad: 70kg / 154lb Offroad: 47kg / 103lb

TOYOTA LANDCRUISER



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Tradie Platforms
Product Image			
Features	Low Profile	Fixed Rails	Fixed Side Rails
Mount Type	Rhino-Rack Backbone / RLT600 / RLCP	Rhino-Rack Backbone / RLT600 / RLCP	Rhino-Rack Backbone / RLT600 / RLCP
Sizes Available	2128x1236mm / 84"x49" 2128x1426mm / 84"x56"	2000x1140mm / 79"x45" 2000x1330mm / 79"x52"	2128x1236mm / 84"x49" 2128x1426mm / 84"x56"
TOYOTA Land Cruiser 4dr 4WD 200 Series 11/07 On			
Rhino-Rack Backbone Load Rating	Static: 360kg / 794lb Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 150kg / 330lb Offroad: 100kg / 220lb
RLT600 Load Rating	Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Onroad: 150kg / 330lb Offroad: 100kg / 220lb
RLCP17 Load Rating	Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Onroad: 150kg / 330lb Offroad: 100kg / 220lb
TOYOTA Land Cruiser 4dr 4WD 100 Series 03/98 to 10/07			
RLCP02 Load Rating	Onroad: 120kg / 265lb Offroad: 80kg / 176lb	Onroad: 120kg / 265lb Offroad: 80kg / 176lb	Onroad: 120kg / 265lb Offroad: 80kg / 176lb

TOYOTA PRADO



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Tradie Platforms
Product Image			
Features	Low Profile	Fixed Rails	Fixed Side Rails
Mount Type	Rhino-Rack Backbone / RLT600 / RLCP	Rhino-Rack Backbone / RLT600 / RLCP	Rhino-Rack Backbone / RLT600 / RLCP
Sizes Available	2128x1236mm / 84"x49"	2000x1140mm / 79"x45"	2128x1236mm / 84"x49"
TOYOTA Prado 150 Series 5dr 4WD 11/09 On			
Rhino-Rack Backbone Load Rating	Static: 360kg / 794lb Onroad: 120kg / 265lb Offroad: 80kg / 176lb	Static: 360kg / 794lb Onroad: 120kg / 265lb Offroad: 80kg / 176lb	Static: 360kg / 794lb Onroad: 120kg / 265lb Offroad: 80kg / 176lb
RLT600 Load Rating	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb
RLCP23 Load Rating	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb
TOYOTA Prado 120 Series 5dr 4WD 03/03 to 11/09			
RLCP03 Load Rating	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb

VW AMAROK



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Tradie Platforms
Product Image			
Features	Low Profile	Fixed Rails	Fixed Side Rails
Mount Type	Rhino-Rack Backbone / RLT	Rhino-Rack Backbone / RLT	Rhino-Rack Backbone / RLT
Sizes Available	2128x1426mm / 84"x56" 2128x1236mm / 84"x49"	2000x1330mm / 79"x52" 2000x1140mm / 79"x44"	2128x1426mm / 84"x56" 2128x1236mm / 84"x48"
LAND ROVER Discovery 3 / 4 4dr 4WD 04/05 On			
Rhino-Rack Backbone Load Rating	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb
RLT Load Rating	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb

DISCOVERY4



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Tradie Platforms
Product Image			
Features	Low Profile	Fixed Rails	Fixed Side Rails
Mount Type	Rhino-Rack Backbone / RLT	Rhino-Rack Backbone / RLT	Rhino-Rack Backbone / RLT
Sizes Available	2128x1426mm / 84"x56" 2128x1236mm / 84"x49"	2000x1330mm / 79"x52" 2000x1140mm / 79"x44"	2128x1426mm / 84"x56" 2128x1236mm / 84"x48"
LAND ROVER Discovery 3 / 4 4dr 4WD 04/05 On			
Rhino-Rack Backbone Load Rating	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb
RLT Load Rating	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb	Static: 360kg / 794lb Onroad: 100kg / 220lb Offroad: 100kg / 220lb

CANOPY RACK SYSTEMS

We specialize in roof racks to suit the most popular canopys and utilities on the market. Our Engineering team tests each canopy to ensure they are fitted with the strongest, most suitable option.



CANOPY RACK SYSTEMS

The bent canopy posts transfer the load directly to the utility bed floor and are braced to the side to give further support.



JB SPACER/HEIGHT ADJUSTER

PART NO: HD-FK9

The removable HD-FK9 allows you to set the height of your ute cabin mounted support bar so it's level with your ute's rear mounted posts or canopy racks. Must be used in conjunction with 2 x rear ute posts or canopy racks. For more info on spacers refer to page 22-23.

SCAN HERE
for specific vehicle
options with our
Roof Rack Selector



**CANOPY &
UTILITIES**





FIXED MOUNT

PART NO: RFMPS

Image showing **PART NO:** RFMC

Our Fixed Mount is secured on the canopy roof with the GE backing plate (included). Only suitable for lighter loads. Legs are available in 50mm and 80mm height.



FIXED MOUNT

Image showing **PART NO:** RFMC2

Swivel base allows fitting with a wider variety of roof shapes including flat, angled and curved

High profile design, ideal for highly curved roofs or levelling bars

Suitable for heavy off-road use

Tested and approved to Australian AS1235-2000 standards



FIXED MOUNT

Image showing **PART NO:** RFMPS2

Low profile design makes for a great look on your roof

Strong and built to last

Compatible with a wide range of accessories

Tested and approved to Australian Standards AS1235-2000

Suits steel canopies.



ARTIFICIAL GUTTER

Image showing **PART NO:** 739A

Artificial Gutters will allow the use of traditional roof rack crossbars on fibre glass or metal canopies.

Only suitable for lighter loads.



CABIN MOUNT

Image showing **PART NO:** RFMRL

The Cabin Mount is fixed to the roof providing the platform for any height Rhino-Rack Heavy Duty Gutter Mount leg. This is the ideal solution for cabin bars that need to match high roof canopies.



CANOPY TRACK MOUNT

Tracks are mounted to the canopy, hard top tonneau and hard top resin roofs. Crossbars can be adjusted along the tracks to accommodate your various loads.



QM CANOPY MOUNT

Image showing **PART NO:** QMCM01



The internal backing mounts used to fit a Quick Mount RLT600 leg to a canopy. Suitable for 2 bars, 4 mounts included. For fibreglass canopies.

Underside of Canopy

RHINO-RACK UTE AND CANOPY SYSTEMS CAN BE CUSTOMISED TO SUIT VARYING PROFILES AND CABIN HEIGHTS.



AERO BAR ADAPTER KIT

Available for adapting our Rhino Aero Bar to Rhino Canopy upright posts.

PART NO: CBPK-Aero



TRACK ADAPTER PLATE

The RTRL adapter allows you to attach a guttermount leg to all Rhino standard Track Mount systems.

PART NO: RTRL



ARB CANOPY POST ADAPTOR

Allows the fitment of Rhino-Rack Heavy Duty and VA bars onto ARB Canopy Posts.

PART NO: ARB-AERO

PART NO: ARB-HD

PART NO: ARB-ASHD



EGR CANOPY POST ADAPTOR

Allows the fitment of Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.

PART NO: EGR-HD

PART NO: EGR-VA



TJM CANOPY TRACK LEG

Fits directly to the factory fitted track supplied with early model TJM Canopies.

PART NO: RLT504



NEED TO LEVEL THINGS OUT?

The Benefit Of LEG HEIGHT SPACERS

Perfect for creating more height or levelling your roof rack crossbars



Rhino-Rack offers a wide variety of levelling spacers that simply connect onto the leg. The spacers can range from 5-30mm in height and fit to a wide variety of our leg types. They also nest in one another to provide a seamless finish and style to the vehicle.



The roof of a vehicle as in most cases has a subtle or dramatic curve from front to rear. When fitting three or more roof bars to a vehicle there is the challenge of maintaining a level working surface. Roof bars that are not level cause serious problems when loading and unloading not to mention they do not distribute the weight evenly onto the roof of the vehicle. This can become a safety concern.

Available for VA and HD bars



Image shows a 2500 fitment

Roof racks that are not level can result in serious safety issues



PART#	DESCRIPTION	BAR TYPE	LEG TYPE
LHS-A1PAIR LHS-A2PAIR	2 x 10mm Leg Height Spacers Incl: 2 x M6 x 45mm Bolts 4 x 10mm Leg Height Spacers Incl: 2 x M6 x 55mm Bolts	VA VA	RL, RLCP, RLTP, RLTF
LHSPAIR LHS2PAIR	2 x 10mm Leg Height Spacers Incl: 2 x M10 x 35mm Bolts 4 x 10mm Leg Height Spacers Incl: 2 x M10 x 45 mm Bolts	HD	RL, RLCP, RLTP, RLTF
LHS-10 Pack	10 x 10mm Leg Height Spacers Incl: 10 x M10 x 35 mm Bolts	HD	RL, RLCP, RLTP, RLTF
LHSPIV	Pivoting Leg Height Spacer Incl: 4 Adapters in Kit	HD	RL, RLCP, RLTP, RLTF
CXBS1 CXBS2 CXBS3 CXBS4	6mm CXB Spacer Set 12mm CXB Spacer Set 18mm CXB Spacer Set 24mm CXB Spacer Set	HD	CXB
RLKS1 RLKS2 RLKS3 RLKS4 RLKS5	2 x 10mm Spacer Blocks 4 x Spacer Blocks max height 18mm 6 x Spacer Blocks max height 26mm 8 x Spacer Blocks max height 34mm 10 x Spacer Blocks max height 42mm	VA	RLK 2500
QMHD05 QMVA05 QMW05	4 x Spacer Blocks max height 5mm 5mm Quick Mount Base Wedge	HD VA	RLT600
QMHD10 QMVA10 QMW10	4 x Spacer Blocks max height 10mm 10mm Quick Mount Base Wedge	HD VA	RLT600
QMHD15 QMVA15	4 x Spacer Blocks max height 15mm	HD VA	RLT600
QMHD20 QMVA20	4 x Spacer Blocks max height 20mm	HD VA	RLT600
QMHD25 QMVA25	4 x Spacer Blocks max height 25mm	HD VA	RLT600
QMHD30	4 x Spacer Blocks max height 30mm	HD	RLT600

PIONEER

PART NO: PLHS1



PART NO: PLHS2

PART NO: PLHSPAIR

PART NO: PLHS3

PART NO: QMPLHS01

NB: each kit includes 8 spacers to add an extra 20mm



The Pioneer Leg Height Spacers are used to level a Pioneer system on a vehicle. These spacers can raise the height of the Pioneer by 75mm overall. This allows each of the Pioneers to fit a wider range of vehicles, with the option of choosing a narrower or wider tray/platform. It also enables you to level the crossbars across your vehicle. For details on the rail that best suits your tray, talk to your local Rhino-Rack dealer or go to www.rhinorack.com.au



The Rhino-Rack Masterkey system allows you to upgrade the locks in your Rhino-Rack roof racks & accessories to eliminate carrying multiple keys. Available in 2, 4 & 8 barrel packs. Each pack contains 2 moulded Masterkeys in blue for easy identification.

KEY FEATURES

The Rhino-Rack Master Key is a one key system that fits most Rhino-Rack products.

Features:

- 1 One key for all your Rhino-Rack products
- 2 Simply replace the lock barrels in all your Rhino-Rack products
- 3 Eliminate the hassle of carrying multiple keys
- 4 Barrel sets available in 2, 4 & 8 packs



COMPATIBLE PRODUCTS:

Roof Rack	2500 System, RLT600, SRB Leg, VA-SEC2/4
Watersport	580, 581
Ski Carrier	572U, 574U, 576U
Bike Carrier	RBC035, RBC036, RBC050
Securing	RTD35L, RTD45L, RTD55L, 43205, 43206, 43207, 43208, 43209, 43210
Other	Conduit Locking End Cap

ACCESS ALL AREAS WITH OUR

COMPLETE RANGE OF ACCESSORIES







PIONEER TRAY

OFFROAD
PROVEN PRODUCT


- Alloy
- Welded rails
- Alloy front wind fairing
- Tried and proven flexible glass re-enforced nylon components
- 5 year warranty
- Black powder coated finish for improved appearance and corrosion resistance
- Full range of accessories available

PART NO.	SIZE (EXTERNAL)	SIZE (INTERNAL)	WEIGHT
41100	1520 x 1260mm/59" x 49"	1400 x 1140mm/55" x 45"	25kg/55lb
41101	1520 x 1400mm/59" x 55"	1400 x 1280mm/55" x 50"	29kg/64lb
41102	1920 x 1260mm/75" x 49"	1800 x 1140mm/71" x 45"	32kg/70lb
41103	1920 x 1400mm/75" x 55"	1800 x 1280mm/71" x 50"	37kg/81lb
41104	2120 x 1450mm/83" x 57"	2000 x 1330mm/79" x 52"	39kg/86lb
41107	2120 x 1260mm/83" x 49"	2000 x 1140mm/ 79" x 45"	33kg/72lb

NB: Rhino-Rack leg kits to suit specific vehicles are sold separately. Visit our website for new model listings.

FOR A FULL RANGE OF ACCESORIES GO TO PAGE 30



PIONEER TRADIE

OFFROAD
PROVEN PRODUCT



PART NO.	LENGTH
43129	1070mm
43130	1210mm
43131	1260mm
43176	1299mm

The Pioneer Tradie is the ideal solution for those who need to carry a wide variety of gear on their roof. With its open front and rear you can easily load ladders, pipes or long objects and support against sides.

- Open front and rear
- Alloy
- Welded rails
- Designed to minimise wind and noise on the road
- Non corrosive so it won't rust or fade
- Made from strong and durable materials
- Full range of Rhino-Rack accessories

NB: Rhino-Rack leg kits to suit specific vehicles are sold separately.

FOR A FULL RANGE OF ACCESORIES GO TO PAGE 30

PART NO.	SIZE (EXTERNAL)	WEIGHT
45100B	1528 X 1236mm/61" x 48"	21.5kg/47lb
45101B	1528 X 1376mm/61" x 54"	24.5kg/54lb
45102B	1928 X 1236mm/76" x 48"	27.5kg/60lb
45103B	1928 X 1376mm/76" x 54"	32kg/70lb
45104B	2128 X 1426mm /84" x 56"	35kg/77lb
45107B	2128 X 1236mm/84" x 48"	30.5kg/67lb
45108B	1426 X 1828mm/72" x 56"	31kg/68lb
45109B	1236 X 1328mm/52" x 48"	24kg/53lb
45110B	1376 X 1328mm/52" x 54"	27kg/59lb
45111B	1426 X 1328mm/52" x 56"	27kg/59lb



PIONEER PLATFORM



OFFROAD
PROVEN PRODUCT

- Australia's best selling full roof rack
- Low Clearance
- Easy assembly
- Black powder coated finish and corrosion resistant
- Most versatile platform on the market
- Cross bars built in
- Optional rail systems available
- Largest range of accessories to suit

FACTORY RAIL FIT AVAILABLE



NB: Rhino-Rack leg kits and SX leg kits suit specific vehicles & are sold separately. Contact your local dealer or visit our website for model listings.

PART NO.	SIZE (EXTERNAL)	WEIGHT
42100B 44100B	1528 x 1236mm/61" x 48"	20kg/44lb
42101B 44101B	1528 x 1376mm/61" x 54"	23kg/51lb
42108B	1828 x 1426mm/72" x 56"	25.5kg/56lb
42102B 44102B	1928 x 1236mm/76" x 48"	26.5kg/58lb
42103B 44103B	1928 x 1376mm/76" x 54"	31kg/68lb
42104B	2128 x 1426mm/84" x 56"	34kg/75lb
42105B	2728 x 1465mm/107" x 58"	38kg/83lb
42107B	2128 x 1236mm/84" x 48"	27.5kg/60lb
42108B	1828 x 1426mm/72" x 56"	25.5kg/56lb
42109B	1328 x 1236mm/52" x 48"	22kg/48lb
42110B	1328 x 1376mm/52" x 54"	24kg/53lb
42111B	1328 x 1426mm/52" x 56"	24kg/53lb
42112B	928 x 1426mm/36" x 56"	18kg/40lb

FOR A FULL RANGE OF ACCESSORIES GO TO PAGE 30

PIONEER RAILS

(SOLD SEPARATELY)

OPTIONAL SIDE RAILS ALLOWS YOU TO
CONFIGURE YOUR PLATFORM IN THE
BEST WAY TO SUIT YOUR LOAD







Rails can be mounted to all planks in any location with our "C" channel mounting system.

We have rails to suit all sizes of Pioneer Platforms. For details on the rail that best suits your tray, talk to your local Rhino-Rack dealer or go to www.rhinorack.com.au

PIONEER ACCESSORY BAR



PART NO.	LENGTH	ACCESSORIES TO SUIT
43119B	1220mm/48" Black	HD Channel 
43120B	1360mm/53" Black	HD Channel 
43137B	1220mm/48" Black	VA Channel 
43138B	1360mm/53" Black	VA Channel 

The Pioneer Platform now fits more vehicles.

Our universal clamping system means that any any roof racks can now suit Australia's most popular luggage tray.

- Universal Clamping system to suit the most popular roof racks on the market
- Australia's best selling full roof rack
- Low Clearance
- Easy assembly
- Black powder coated finish and corrosion resistant
- Most versatile platform on the market
- Optional rail systems available
- Largest range of accessories to suit

PART NO.	SIZE (EXTERNAL)	WEIGHT
42115BF	1478 x 1184mm/58" x 46"	14kg/30lb
42114BF	1228 x 952mm/48" x 37"	12kg/26lb



Accessory C Channels to mount all your favourite Pioneer accessories



Universal clamp mount included



C Channel mount also included



DOUBLE JERRY CAN HOLDERS



FLAT

PART NO: 43153

- Powder coated steel structure
- Corrosion resistant
- Carries 1 jerry can flat
- Suits the Pioneer Platform, Pioneer Tradie, Pioneer Tray
- Off-road proven
- Locking cables to secure your jerry cans
- Suits most 20L metal or plastic jerry cans

DOUBLE JERRY CAN HOLDERS



VERTICAL

PART NO: 43151

- Powder coated steel structure
- Corrosion resistant
- Carries 2 jerry cans vertically
- Suits the Pioneer Platform, Pioneer Tradie, Pioneer Tray
- Off-road proven
- Locking cables to secure your jerry cans
- Suits most 20L and 10L metal or plastic jerry cans

HORIZONTAL

PART NO: 43152

- Powder coated steel structure
- Corrosion resistant
- Carries 2 jerry cans horizontally
- Suits the Pioneer Platform, Pioneer Tradie, Pioneer Tray
- Off-road proven
- Locking cables to secure your jerry cans
- Suits most 20L metal or plastic jerry cans

RECOVERY TRACK BRACKET



SIDE ANGLED

PART NO: 43159

- Mount your Maxtrax to the side of most Rhino-Rack Pioneer range at a 75 degree angle
- Made from strong 5mm stainless steel
- Corrosion resistant with Black Powder Coating
- Recommended number of Maxtrax fitted is 2



If fitting 3 or 4, the Pioneer Maxtrax Support Bracket Part No: 43197 is required



PART NO: 43199

Note:

- To mount your **Maxtrax** to this bracket, an additional Maxtrax Mounting Pin Set (MTXMPS) is required
- To mount **other branded** recovery tracks our Recovery Straps (#43199) is required



FLAT

PART NO: 43158

- Mount your Maxtrax on most of the Rhino-Rack Pioneer range
- Made from strong 5mm stainless steel
- Corrosion resistant with Black Powder Coating
- Recommended number of Maxtrax fitted is 2



CABLE CORE LOCKDOWN



VA BAR & PIONEER

PART NO: 43205 - 0.6m

PART NO: 43206 - 1.2m

PART NO: 43207 - 1.8m

- Suits the Pioneer Platform and Pioneer Tradie, Pioneer Tray and Vortex Bars
- 8mm (1/2") PVC coated steel wire with zinc protection provides security for your valuables.
- Available in 3 different lengths: 0.6m (1'11"), 1.2m (3'11") & 1.8m (5'11")

HD BAR

PART NO: 43208 - 0.6m

PART NO: 43209 - 1.2m

PART NO: 43210 - 1.8m

- Suits a Rhino-Rack Heavy Duty crossbars

LED LIGHT BRACKET



PIONEER

PART NO: 43173

- Suits Rhino-Rack Pioneer Platforms and Pioneer Tradie on all sides and the Pioneer Tray on the rear and sides
- Suits most LED Light Bars
- Made from strong, non-corrosive powder coated steel
- Simple installation
- Mount your LED light level with the top of the platform for minimal interference with your load

VORTEX/HD BAR

PART NO: 43174

- Made from powder coated stainless steel
- Supports LED light bars up to 7.5kg
- Suits a range of crossbars including Rhino-Rack Vortex and Heavy Duty, as well as Whipbar HD and ROLA HD
- Can be secured to either the top or bottom of the Crossbar
- Simple installation

PICK UP KIT



RATCHET

PART NO: 43175

- Suits Pioneer range
- 2 ratchet straps (1850mm) included
- 4x mouldings (mounting blocks)
- Lashing capacity: 225kg
- 1 Year Warranty

CAM BUCKLE

PART NO: 43179

- Suits Pioneer range
- Product comes with 2 cam buckle straps
- 4 x mouldings (mounting blocks)
- All the required hardware for installation
- 1 Year Warranty



Platform Roller
Available in a
variety of widths



Ratchet Grab
43139



Rhino Spare Wheel Strap
RSWS
Used with 43117 Eye Bolt Kit (3)



Jerry Can Holders
Available in a
variety of sizes



Rhino Gas Bottle Holder
RGBH4



Luggage Bags
Available in a
variety of sizes



Wrap Pads
43150



Shovel Holder Bracket
43103



High Lifting Jack Bracket
43101



High Lifting Jack &
Shovel Bracket Kit
43157



Eye bolt Kit
43106 2 kit
43178 4 kit



NOTE: The image shown is for presentation purposes only. Please check your vehicles roof and roof rack load rating to determine the weight that you can carry.



Multipurpose
Holder Bracket
31114



Conduit Clamps
BC2



Conduit Locking
End Cap
LSE100H/LSE100



Awning Brackets
43100



Foxwing Awning
31100



Sunseeker 2.5m Awning
32105



Brackets
LED/Spot Light **43156**
LED Light **43173**



Work Light Bracket
SWLB



Rapid Straps
Available in a
variety of sizes



Pickup Kit
Ratchet **43175**
Cam Buckle **43179**



Adjustable Load Holder
RLH2



ALLOY TRAY



- Easy to assemble and install
- Heavy duty, non-corrosive components
- Unique tie-down points
- Aerodynamic shape for less wind resistance
- Available in a range of sizes
- Suitable for Rhino-Rack Heavy Duty & Rhino-Rack Vortex style crossbars
- Designed in Australia to withstand the harshest of Australian conditions
- Available in silver

PART NO.	INTERNAL LENGTH	INTERNAL WIDTH	CROSSBARS REQUIRED	PLANKS	TRAY WEIGHT
AT1210	1200mm/47"	1010mm/40"	2	4	13.5kg/30lb
AT1510	1500mm/59"	1010mm/40"	2	4	14.5kg/32lb
AT1512	1500mm/59"	1240mm/49"	2	5	18.0kg/39lb
AT1810	1800mm/71"	1010mm/40"	3	4	18.0kg/39lb
AT1812	1800mm/71"	1240mm/49"	3	5	20.5kg/45lb
AT2012	2000mm/79"	1240mm/49"	3	5	21.5kg/47lb

NB: Alloy Trays require either a Heavy Duty fitting kit or a Vortex fitting kit (sold separately). Thule fit kits also available.

YOUR FAVOURITE ACCESSORIES THAT FIT THE **ALLOY TRAY AND CROSS BARS**

For a full range of brackets to attach your accessories please visit www.rhinorack.com.au



LOCKABLE SHOVEL HOLDER

PART NO: RSHB-L

SUITS: Alloy Tray



SHOVEL HOLDER

PART NO: RSHB

SUITS: Alloy Tray



LOCK

PART NO: RSHL

SUITS: Shovel
Holder



HORIZONTAL JERRY CAN HOLDER

• Cans up to 475mm high

PART NO: 43108

SUITS: Pioneer Range
& Alloy Tray



VERTICAL JERRY CAN HOLDER

PART NO: 43107

SUITS: Pioneer Range
& Alloy Tray



HI-LIFTING JACK HOLDER

Mounts directly to Rhino-Rack Heavy Duty crossbar. Suits most hi-lifting jacks. Provision for pad lock. Use in conjunction with the Alloy Tray.

PART NO: RJHB

SUITS: Alloy Tray



VORTEX HIGH LIFTING JACK HOLDER BRACKET

Mounts directly to Rhino-Rack Vortex crossbar. Suits most hi-lifting jacks. Provision for pad lock. Use in conjunction with the Alloy Tray.

PART NO: SJHB

SUITS: VA Bar



RHINO WHEEL STEP

Mounts directly onto your rear wheel to enable you easier rooftop access.

PART NO: RWS

SUITS: All



RHINO FOLDING LADDER

The ladder folds down and has its own bag for easy storage and transportation.

PART NO: RFL

SUITS: Pioneer Range
& Alloy Tray



RHINO GAS BOTTLE HOLDER

• Suits 4 kg bottle only

PART NO: RGBH4

SUITS: Pioneer Range
& Alloy Tray



SPARE WHEEL HOLDER

PART NO: RSWH

SUITS: Pioneer Range
& Alloy Tray



STEEL SHOVEL

The Rhino-Rack square mouth shovel is corrosion resistant and powder coated black. The contoured grip is designed to be non slip with superior comfort to provide greater control. Beneath the grip consists of a composite multicore fibreglass (PVC and TPE) handle.

PART NO: 43123



ALLOY TRAY LIGHT BRACKET

Enables you to easily mount your driving lights to the front or rear of your Alloy Tray.

PART NO: ATLB

SUITS: Alloy Tray



XTRAY

PART NO: RMCB01 1200mm x 900mm x 200mm (external)
PART NO: RMCB02 1480mm x 1090mm x 150mm (external)

- Universal clamp fits most crossbar types
- 3 year warranty
- 75kg load rating
- Engineered 2pc construction
- Corrosion resistant
- Fits roof racks of varying distances.
- Bar spacing: Max = 760mm Min = 535mm



75KG LOAD RATING



RUST PROOF

LUGGAGE NETS
PART NO: RLN1 + RLN2

LUGGAGE BAGS

HALF
PART NO: LBH
 1400 L x 500 W x 300 H

SMALL
PART NO: LBS
 1100 L x 800 W x 300 H

MEDIUM
PART NO: LBM
 1200 L x 960 W x 300 H

LARGE
PART NO: LBL
 1500 L x 1100 W x 300 H

EXTRA LARGE
PART NO: LBXL
 1800 L x 1100 W x 300 H



ZIPOUT LINING



- Heavy duty carry handle
- 1200 Denier Oxford Material with UPVC Coating
- Securing straps with heavy duty buckle
- YKK heavy duty zipper with dust proof velcro flap
- Water resistant
- 1 year warranty

STEEL MESH PLATFORM

- Strong and Durable
- Corrosion Resistant
- Zinc-plated and powder-coated to avoid corrosion and colour fading



NB: Fitting Kits sold separately

PART NO.	DESCRIPTION	LENGTH	WIDTH	MESH SIZE	TRAY WEIGHT
RPBH	Half Size	1500mm	650mm	5mm	12kg
RPBS	Small	1245mm	940mm	4mm	8kg
RPBM	Medium	1340mm	1100mm	5mm	18kg
RPBL	Large	1590mm	1205mm	5mm	21kg
RPXL	Extra Large	2100mm	1165mm	5mm	27kg

STEEL MESH BASKET

- Strong and Durable
- Corrosion Resistant
- Zinc-plated and powder-coated to avoid corrosion and colour fading



NB: Fitting Kits sold separately

PART NO.	DESCRIPTION	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL DEPTH	MESH SIZE	BASKET WEIGHT
RLBS	Small	1170mm	875mm	130mm	4mm	9.0kg
RLBM	Medium	1210mm	970mm	140mm	5mm	14.0kg
RLBH	Half	1410mm	580mm	120mm	5mm	10.4kg
RLBL	Large	1540mm	1150mm	160mm	5mm	19.2kg
RLBXL	Extra Large	1810mm	1160mm	150mm	5mm	22.0kg
RLBXXL	2 Extra Large	2100mm	1165mm	150mm	5mm	27kg
RLBHL	Half Long	2100mm	570mm	120mm	5mm	17.0kg
RLBN	Narrow	2100mm	350mm	120mm	5mm	13.0kg

FIT KITS



RHINO U-BOLTS
75mm x 67mm
PART NO: RUBK
SUITS: Rhino-Rack Heavy Duty Bar



RHINO U-BOLTS
65mm x 100mm
PART NO: S280
SUITS: Rhino-Rack Vortex Bar



EUROPEAN U-BOLTS
34mm x 40mm
PART NO: MUBK
SUITS: Rhino-Rack Euro Bar



BASKET PLATES
Recommended for RLBL, RLBXL & RPBL baskets. For offroad use.
PART NO: BP4





RAPID LOCKING STRAPS


PART NO: RTD25L
LENGTH: 2.5M

PART NO: RTD35L
LENGTH: 3.5M

PART NO: RTD45L
LENGTH: 4.5M

PART NO: RTD55L
LENGTH: 5.5M

- Straps can be tightened before & after cover is locked
- 3.2mm PU coated steel wire encased in the strap to protect against cutting
- Steel wire starts 250mm from the end, allowing easy feed of strap through the cambuckle and ease in tying off excess strap
- Lower vibration noise caused by wind when compared to regular tie down straps
- Maximum lashing capacity is 225kg
- Tested to AS4380:2001
- Cambuckle Cover is completely removable to aid in feeding/securing strap
- Security stop inside cover helps prevent theft
- Aluminium cambuckle is corrosion resistant





**LASHING
CAPACITY**
STANDARDS AS/NZS 4380



RAPID STRAPS

PART NO: RTD35P
COLOUR: BLACK
LENGTH: 3.5M

PART NO: RTD45P
COLOUR: RED
LENGTH: 4.5M

PART NO: RTD55P
COLOUR: BLUE
LENGTH: 5.5M

PART NO: RTD35C, RTD45C
COLOUR: CAMO
LENGTH: 3.5M, 4.5M

- Unique design registered Buckle Protector, designed to encase the metal cam buckle
- Buckle Protector is made from TPV rubber and provides maximum protection for your gear or vehicle.
- Sewn in Velcro "Roll it" Strap to keep the strap neatly stowed and indicate strap length.
- Low vibration noise caused by wind
- Maximum lashing capacity is 225kg
- Tested to AS4380:2001
- Aluminium cambuckle is corrosion resistant



OFFROAD

PROVEN PRODUCT

"I've travelled over 75,000 kms on unsealed roads around Australia, the Kimberly and the Simpson Desert to name a few with a **Rhino-Rack Master Fit Luggage Box** full to the brim. It's the most secure, dust and water resistant roof load carrying option I've ever used."

David Brickhill, Kaymar.

LUGGAGE BOXES

- Low profile
- Safe and secure fit
- Suitable for crossbars with a max width of 90mm & max height of 35mm
- 5 year warranty
- 75kg load rating



Quick and easy to use

Comparison Chart	RMFZ86	RMFB440	RMFB550	RMF400	RMF440	RMF550
Colour	Brilliant Black	Black	Black	Silver	Silver	Silver
External Length (mm)	2150	1920	2160	1780	1920	2160
External Width (mm)	880	820	910	780	820	910
External Height (mm)	370	420	440	420	420	440
Capacity (litres)	440L	440L	550L	400L	440L	550L
Box weight	23.5kg	17.5kg	20.5kg	14.5kg	17.5kg	20.5kg
Max. allowed weight	75kg	75kg	75kg	75kg	75kg	75kg
Crossbar Spacing	620-930mm	620-930mm	620-930mm	640-815mm	620-930mm	620-930mm
Material	ABS/PMMA***	ABS/ASA**	ABS/ASA**	ABS/ASA**	ABS/ASA**	ABS/ASA**
Opening	Dual Opening	Dual Opening	Dual Opening	Dual Opening	Dual Opening	Dual Opening
Locking points	3	3	3	2	3	3
Load securing straps included	4	4	4	4	4	4
Manufacturers warranty	5 years	5 years	5 years	5 years	5 years	5 years

ABS/PMMA*** = Acrylonitrile Butadiene Styrene/Para-Methoxymethamphetamine

ABS/ASA** = Acrylonitrile Butadiene Styrene/Acrylic Styrene Acrylonitrile



NB: To fit on to heavy duty crossbars please use RUBK-MF fitting kit.



ZENITH LUGGAGE BOXES



With its modern design the Zenith Masterfit Luggage Box is aerodynamic, reliable and secure.

PART NO: RMFZ86

- Stylish with a modern and elegant design
- The capacity of this luggage box is 440L
- Made from ABS/PMMA with a metallic paint finish
- UV Protected
- Impact Resistant
- Includes 4x premium fit mounts
- The luggage box has dual side opening for convenience
- It has a 3 point central locking system
- A specifically designed rear wind diffuser for aerodynamics
- Includes 3x tie down straps

LUGGAGE BOX WALL HANGER

PART NO: RWHMF

- 3 year warranty
- Powdercoated steel tubes with UV protection rubber padding
- Adjustable arms to allow for various sized boxes



WE'VE GOT YOU COVERED WITH OUR

RANGE OF SHADE ACCESSORIES







FOXWING AWNING







PART NO: 31200 Foxwing 2500 (right hand)
PART NO: 31100 Foxwing 2500 (left hand)
PART NO: 31117 Foxwing Eco 2100 (left hand)

- One person operation
- UV Protected
- MouldShield™
- Rip stop heavy duty polycotton canvas
- Telescopic poles, pegs and ropes included
- One piece awning that covers 270 degrees



270 Degrees of SHADE

		
Dimensions		
Part No	31100, 31200	31117
Size (Closed)	2500x180x60mm	2000x200x90mm
Height (Open)	2200mm	2200mm
Mount Position	Left, right	Left
Material	Ripstop Polycotton Canvas	Lightweight polyester with polyurethane (PU) coating
Colour	Khaki	Light Grey
Weight	18.5kg	15kg
Warranty	1 year	1 year
Add-On Accessories Refer to pg 54	Awning Extension Part# 31101 Tapered Zip Extension Part# 31112 Mesh Floor Saver Part# 31115 Tagalong Tent Part# RV5T Sand Screws Part# 31113 Sand Bags Part# 31109 Front Edge Zippered Insert Part# 31124	Awning Extension Part# 31118 Sand Screws Part# 31113 Sand Bags Part# 31109



UV PROTECTED



WATERPROOF



SUNSEEKER AWNING







PART NO: 32109 Sunseeker 2000

PART NO: 32105 Sunseeker 2500

- High quality rip-stop polycotton canvas
- UV protected & waterproof
- MouldShield™
- Corrosion resistant
- Complete with telescopic poles, guy ropes and pegs

**Accessories for both
the Foxwing and
the Sunseeker are
available. For a full list
go to page 54.**

		
Dimensions		
Part No	32105	32109
Coverage	4.2m ²	5.25m ²
Size (Closed)	2500x180x60mm	2000x200x90mm
Height (Open)	2200mm	2200mm
Mount Position	Left or Right	Left or Right
Material	Ripstop PolycottonCanvas	Ripstop PolycottonCanvas
Colour	Khaki	Khaki
Weight	11.5kg	10kg
Warranty	1 year	1 year
Add-On Accessories Refer to pg 54	Awning Extension Part# 31101 Side Wall Extension Part# 32112 Mesh Room Part# 32108 Tagalong Tent Part# RV5T Sand Screws Part# 31113 Sand Bags Part# 31109 2.5m Fly Extension Part# 32117	Awning Extension Part# 32111 Side Wall Extension Part# 32112 Mesh Room Part# 32118 Tagalong Tent Part# RV5T Sand Screws Part# 31113 Sand Bags Part# 31109



UV PROTECTED



WATERPROOF

DOME AWNING


The Dome 1300 (1.3m) is a compact awning that you can fit to the side or rear of your vehicle providing you with a large area of cover. Perfect for camping, picnics, or lazy days at the beach.

PART NO: 32125


Key features include:

- Ripstop polycotton canvas construction
- Provides UV protection (UV50+) and is waterproof (PU1500mm)
- Domed shaped ceiling provides ample headspace & allows boot of vehicle to be opened
- Fold out sides provides extra area of cover
- Can withstand strong weather conditions
- Domed shaped promotes effective water run off during showers/storms
- Can also be fitted to the side of a vehicle
- Quick and easy one person setup
- Comes with mounting hardware, 2 x guy ropes, 2 x vertical poles and 2 x dome support poles





Packed away - nice and compact



Side mounted



Ripstop polycotton canvas construction



Rear mounted



Fold out sides provides extra coverage



Allows boot to be opened completely




SHADE

The new **Base Tent** (Part# 32119) has been designed to keep you comfortable in any environment. With it's tried and tested polycotton construction, large fly screen doors and unique domed roof, the Base Tent is a great place to stay protected from nature's elements and pests during those overnight trips or extended adventures. You can extend the front flap for extra shade throughtout the day. Zipper ports for you lighting needs during the evening and a simple setup and pack down into a compact bag, make Base Tent a traveller's best friend.



BASE TENT 2500



PART NO. 32119


2.5m (l) x 2.1m (w) x 2.2m (h)

Weight: 12kg


- Packed away size: 900mm L x 270mm W x 270mm H
- Dome roof for extra internal height and effective water run off
- 4 doors for easy access
- Internal roof storage
- Insect proof mesh screens
- Front zippered door can double as a front awning
- Cross flow ventilation pockets for reduced condensation
- Attaches to Sunseeker 2500 or use as a stand alone unit
(Pole Kit sold separately Part# 32124)
- Your Sunseeker acts as a thermal barrier from the sun
- Can be used in conjunction with a Tagalong Tent & Awning Extension
- Two internal zippered power ports and cable routing for LED light cables
- Weatherproof zippers
- UV protected and waterproof ripstop polycotton canvas
- PVC waterproof floor
- Tough carry bag, guy ropes & pegs are included



Cross air flow ventilation



Insect proof mesh screen
& sealed room for camping



Cable routing for tidy LED light cables
(lighting sold separately)



Internal roof storage



FOXWING TAPERED ZIP EXTENSION

PART NO: 31112

- Zippered sides. Join together to form a full enclosure
- Up to 4 extensions can be used
- Size 2300 x 2600mm (flared at the bottom to 3800mm)
- Telescopic poles, guys ropes and pegs are included
- Storage bag included
- Material: Ripstop Polycotton Canvas
- Water Rating: 1500mm

SUITS

F2100	F2500	S2000	S2500	D1300
✗	31112	✗	31112	31112



FOXWING FRONT EDGE ZIPPERED INSERT

PART NO: 31124

- Pole features a with unique twin peg base and hook top pin.
- Easy zipper attachment to your Foxwing Awning
- Compact and simple to carry and store
- Telescopic pole, metal peg, guy rope and bag included

SUITS

F2100	F2500	S2000	S2500	D1300
✗	31124	✗	✗	✗



FOXWING ECO EXTENSION

PART NO: 31118

- Zippered sides. Join together to form a full enclosure
- Up to 4 extensions can be used
- Size 2300 x 2600mm (flared at the bottom to 3800mm)
- Telescopic poles, guys ropes and pegs are included
- Storage bag included
- Material: Ripstop Polycotton Canvas
- Water Rating: 1500mm

SUITS

F2100	F2500	S2000	S2500	D1300
31118	✗	✗	✗	✗



TAGALONG TENT

PART NO: RV5T

- Quick & Easy to store and carry
- UV Protected
- Waterproof (Rating:1500mm)
- Mould Resistant
- Rust Proof
- Insect proof mesh screens

SUITS

F2100	F2500	S2000	S2500	D1300
✗	RV5T	✗	RV5T	RV5T



SUNSEEKER 2500 FLY EXTENSION

PART NO: 32117

- Quick & Easy to attach
- Includes 4 walls and ceiling made all from fine midge proof mesh
- Zippers on each side wall to allow easy entry and access to vehicle
- Snap hooks to connect to awning poles
- Suitable with the Sunseeker Awning range

SUITS

F2100	F2500	S2000	S2500	D1300
✗	✗	✗	32117	32117



FOXWING MESH FLOOR SAVER

PART NO: 31115

- Quick & Easy to store and carry
- Made from heavy duty Polyethylene mesh cloth
- Designed to match the shape of the Foxwing Awning
- Light weight (3.2kg)
- UV Protected
- Waterproof
- Mould Resistant
- 1 Year Warranty

SUITS

F2100	F2500	S2000	S2500	D1300
✗	31115	✗	✗	✗



SUNSEEKER MESH FLOOR SAVER

PART NO: 32128 / 32129

- Quick & Easy to store and carry
- Made from heavy duty Polyethylene
- Abrasion Resistant
- UV Protected
- Mould Resistant
- Designed to match the shape of the Sunseeker 2.5m Awning and Mesh Room 2.5m
- Light weight
- 1 Year Warranty

SUITS

F2100	F2500	S2000	S2500	D1300
✗	✗	32128	32129	✗



MESH ROOM

PART NO: 32108 / 32118

- Quick & Easy to attach
- Includes 4 walls and ceiling made all from fine midge proof mesh
- Zippers on each side wall to allow easy entry and access to vehicle
- Snap hooks to connect to awning poles
- Suitable with the Sunseeker Awning range

SUITS

F2100	F2500	S2000	S2500	D1300
✗	✗	32118	32108	✗



SUNSEEKER SIDE WALL

PART NO: 32112

- Provides an additional 2m x 2m of additional coverage
- Fits both the Sunseeker and the Sunseeker
- Can be pitched at an angle, straight to the ground
- UV Protected
- Waterproof (rating: 1500mm)
- Mould Shield™

SUITS

F2100	F2500	S2000	S2500	D1300
✗	✗	32112	32112	✗



SUNSEEKER EXTENSION

PART NO: 31101 / 32111

- UV Protected
- Waterproof (Rating: 1500mm)
- Mould Shield™
- Adds another 2m in width and 4m².

SUITS

F2100	F2500	S2000	S2500	D1300
✗	31101	32111	31101	✗



CAMPING CHAIR

PART NO: RCC

Features:

- Load Rating: 250lbs/115kg
- Material: 600D PVC Fabric.
- Product Measurement (open):
200 (L) x 72 (D) x 47cm (H)
- Warranty: 1 year
- Quick set up and pack down
- Carry bag included. 300D Polyester with PU coating.
- UV Protected



CAMPING STRETCHER

PART NO: 34004

Features:

- Load Rating: 250lbs/115kg
- Material: 600D PVC Fabric.
- Product Measurement (open):
200 (L) x 72 (D) x 47cm (H)
- Warranty: 1 year
- Quick set up and pack down
- Carry bag included. 300D Polyester with PU coating.
- UV Protected





LED LIGHTING KITS



500MM BAR LED LIGHT KIT

PART NO: LEDKIT1

Kit contents:

- 4 x 500mm LED Light Bar
- 4 x Dimmer Switch
- 2 x Three Way Splitter
- 2 x 1.2m Connector Lead
- 2 x 2.5m Connector Lead
- 1 x 10m Connector Lead
- 1 x Power Adaptor
- 1 x Alligator Clip
- 1 x Merit / Cigarette Plug
- 2 x Velcro Strap Set (6pcs)
- 1 x Padded Carry Bag



300MM BAR LED LIGHT KIT PART


PART NO: LEDKIT7

Kit contents:

- 3 x 300mm LED Light Bar
- 1 x Dimmer Switch
- 1 x 1.2m Connector Lead
- 1 x 2.5m Connector Lead
- 1 x Merit / Cigarette Plug
- 1 x Velcro Strap Set (6pcs)
- 1 x Padded Carry Bag

Go to our website for a full range of kits available


COMPONENTS SOLD SEPARATELY




Pure white 5500k



Waterproof Connector Lead



Magnets built in

Waterproof /
Weather Protected

Tough Heavy Duty Bar



LED LIGHT BAR

Features:

- Input Voltage: 12V
- Color: Pure White 5500k Kelvin
- Beam Angle: 120 degree
- LED Life: 50,000 Hours
- Ingress Protection Rating: IP68
- Material: Aluminium/PMMA/PC
- Warranty: 5 Years

	PART NO: LED02	PART NO: LED01	PART NO: LED30
Length	300mm	500mm	1000mm
Width	12mm	12mm	12mm
Power	3.6W	6W	12W
Current Draw	0.3A	0.5A	1.0A
LED Type	18 Tri-Chip	30 Tri-Chip	60 Tri-Chip
Lumens	432lm	720lm	1440lm



DIMMER SWITCH

PART NO: LED03

Features:

- Voltage: 12v
- Adjustable brightness
- Remote combo on/off dimmer



RF REMOTE KIT

PART NO: LED04

Features:

- Control up to 30m range
- Adjustable brightness
- Remote combo on/off dimmer

This RF Remote Kit is not weather protected and must have adequate protection from moisture and rain.

12 VOLT
ALLIGATOR CLIP

PART NO: LED05

Features:

- Power your LED lights from a auxiliary battery
- To be used in conjunction with merit / cigarette plug

12 VOLT MERIT /
CIGARETTE PLUG

PART NO: LED11

Features:

- 3m quick connect cable with cigarette attachment
- Cigarette lead comes with merit plug 12v input



CONNECTOR LEAD

PART NO: LED06 - 10m
PART NO: LED07 - 2.5m

PART NO: LED08 - 1.2m

Features:

- Waterproof / Weather Protected
- 3 different lengths



3 WAY SPLITTER

PART NO: LED10

Note: A maximum of 2x 1000mm / 6x 500mm / 10x 300mm LED bars can be used off one circuit. Any additional bars may cause overheating and damage to the items/circuits.



POWER ADAPTOR

PART NO: LED14

Features:

- Indoor 240V power adaptor AC/DC wall mounted



VELCRO STRAP SET

Velcro straps holds items firmly & securely.

PART NO: LED12

Features:

- Length: 200mm
- 6pcs in pack



CONTENTS ARE NOT INCLUDED.

PADDED CARRY BAG

PART NO: LED16

Features:

- Suitable for storing up to 7 LED Bars
- 4 padded compartments
- Heavy duty rubber handle
- Durable material

BATTERY PACK
AND CHARGER

LITHIUM-ION 12V 5AH BATTERY
PART NO: LED8

- Lightweight rechargeable battery set
- 500mm LED Bar - 10 hours run time,
- 300mm LED Bar - 16 hours run time
- Battery Pack includes cover

LITHIUM-ION 12V CHARGER
PART NO: LED25

OUR CARRIERS ARE NOT ONLY
PERFECT FOR YOUR KAYAK
OR CANOE BUT ALSO YOUR SUP



LOCKABLE KAYAK CARRIER



PART NO: 580 Side Loading

PART NO: 581 Rear Loading

Features:

- Hidden locks
- Fits a variety of hull shapes
- Marine grade felt lined rear cradles for maximum hull protection
- 6mm thick TPV (santoprene rubber front pads)
- Pads provide 75mm x 200mm contact surface area
- Perfect hull contact
- Unique 180 degree rotation
- 4 cradles included
- Includes 4 straps (2x 5m, 2x 3.5m) with buckle protector

Fit kit sold separately for heavy duty crossbars



MASTERKEY COMPATIBLE

UNIVERSAL KAYAK CARRIER



PART NO: 570 Side Loading

PART NO: 571 Rear Loading

Features:

- Universal crossbar fit
- Fits a variety of hull shapes
- Perfect hull contact
- Marine grade felt lined rear cradles for maximum hull protection
- 6mm thick TPV (santoprene rubber front pads)
- Pads provide 75mm x 200mm contact surface area
- Unique 180 degree rotation
- Includes 4 straps (2x 5m, 2x 3.5m) with buckle protector

Fit kit sold separately for heavy duty crossbars



STRAPS INCLUDED

All Nautic Kayak Carriers
include 4 straps
(2x 5m, 2x 3.5m)
featuring our
buckle protector



NAUSIC STACK PART NO: S520

- Holds up to 4 kayaks
- Optional fitting application - clamp or C channel nut and bolt system
- Foldable Stack arm when not in use
- Glass reinforced nylon base adds exceptional strength
- Stack Arm made of high strength anodised alloy



FOLDABLE PART NO: S512

- Side loading
- Rubber tube padding protection
- Steel tube with state of the art coating protection
- Universal mounting system to suit all cross bar shapes
- Paddle holder attached
- Straps included



KAYAK CARRIER EXTENSION PART NO: S512X

- Features:
- Enables you to transport 1 extra watercraft at the same time
 - Suitable for the S512
 - Includes straps



FIXED POSITION PART NO: S510

- Features:
- Side loading
 - Rubber tube padding protection
 - Stainless steel hardware included
 - Steel tube with state of the art coating protection
 - Universal mounting system to suit all crossbar shapes
 - Includes straps



UNIVERSAL WRAP PAD PART NO: RWP01, RWP02, RWP03, RWP04, RWP05

- Features:
- Protect your roof racks from damage when loading and unloading your surfboard, canoe, kayak, paddleboards, etc with the Rhino-Rack Universal Wrap Pads.
 - Available in 4 different lengths



Image shows RWP03




SUP & KAYAK ACCESSORIES



'C' CHANNEL FIT KIT

PART NO: KC FK8

Fits S510, S512 Kayak Carrier and S512X Extension Piece into the 'C' Channel. Suitable for Rhino-Rack Heavy Duty, Aero and Thule Aero.



WALL MOUNT

PART NO: RWHL, RWHS

Perfect for kayaks or luggage boxes



RHINO MULTI PURPOSE HOLDER

PART NO: RMPHU

- Designed to carry 1-2 paddles
- Strong UV materials
- Fits all leading crossbar brands



PADDLE BOARD WALL HANGER

PART NO: RWHPB

- Features:
- Powder coated
 - UV protected
 - 3 year warranty



KAYAK BOW STRAP

PART NO: RBAS1

PART NO: RBAS2
(Perfect for SUPs)



BONNET ANCHOR STRAP

PART NO: RBAS

PART NO: RAS



WE HAVE A NUMBER OF SOLUTIONS TO HELP YOU LOAD YOUR KAYAK OR BOAT WITHOUT THE STRAIN OF HEAVY LIFTING.



NAUTIC KAYAK LIFTER

Look no further, Rhino-Rack introduces the Nautic Kayak Lifter, the only kayak lifter on the market that has:

1. 80kg load capacity
2. No heavy lifting
3. Single person operation

- Quick set up
- Fits most popular roof racks
- No drilling required in kayak
- Lifts kayaks up to 80kg
- Height adjustable to suit various vehicle heights
- Low friction, easy slide ramps
- Rust proof
- UV protection
- 5 year warranty
- Designed & built in Australia

Kit includes:

- 2x adjustable alloy ramps
- 2x alloy roller support bars
- Manual Winch
- Hardware
- 8m non stretch marine rope
- Harness Kit (6 straps included)



Manual Winch included



**WATCH
OUR VIDEO**

SIDE LOADER



PART NO: SLH01

Features:

- A padded velcro wrap kit is included to protect the kayak when you load and slide it to the top of your vehicle
- A rubber mat is included to protect your kayak from scraping the floor when loading

T-LOAD



DO YOU NEED A CROSSBAR?



TOW BALL MOUNT

PART NO:
RTL001



HITCH MOUNT

PART NO:
RTL002

Included

- 1250mm Aero crossbar
- One Kayak Sling Kit (Part # RTLK)

OR DO YOU ALREADY HAVE A CROSSBAR THAT FITS?



TOW BALL MOUNT

PART NO:
RTL003



HITCH MOUNT

PART NO:
RTL004

Not Included

- 1250mm Aero crossbar
- One Kayak Sling Kit (Part # RTLK)



T-LOAD NUMBER PLATE HOLDER

PART NO: RTLNPH

Our T-Load Number Plate Holder will help you keep your number plate in clear view.



Versatile, multi-purpose

UNIVERSAL SIDE LOADER



Additional clamps to suit a range of crossbars

PART NO: RUSL

Features:

- Push button for quick release and easy storage
- Includes cross bar clamps to suit all popular roof racks
- Includes heavy duty storage bag
- Includes support pole for kayaks greater than 20kg

- Integrated load stop prevents kayak from sliding off bar
- Foam padding for protection of kayak
- Padding on the underside of clamps to protect vehicle roof
- Clamps to suit Rhino Aero/HD/Euro, Thule, Rola, Prorack*
- * Fit certain bar profiles



SIDE BOAT LOADER



PART NO: RSBL

Features:

- Single person operation
- Load and unload your tinnie without unhitching the caravan or trailer
- Uses a hand drill for effortless loading (18 volt drill recommended)
- Ideal for boats up to 80kg in weight*
- Fits Rhino Heavy Duty and Rhino Aero crossbars 1250mm and up
- Minimum requirement of only 2 crossbars
- Fits a range of vehicles including 4WD's, low roof camper vans and station wagons.
- No need for a boat trailer
- Check your manufacturers load rating to determine the maximum carrying capacity of your specific vehicle.



2x adjustable alloy ramps included



Worm drive included



2 ratchet straps included



REAR BOAT LOADER



PART NO: RBLW

Features:

- Single person operation
- Worm drive winch operated by cordless drill (18V)
- Carries boats up to 80 kg*
- Designed to reduce the risk of personal injury
- Boat Loader 2" Receiver Hitch H Frame (Part# RBLHF).

Please Note:

- Not suitable for inflatable boats
- Not suitable for station wagons

* Please check with your local Rhino-Rack dealer to ensure this product is suitable for your vehicle or boat



Worm Drive



2 Ratchet Straps included



Hitch Frame Part# RBLHF (sold separately)






Image shows the 572 Carrier mounted to a Side Angled Recovery Track Bracket (Part No. 43159)

FISHING ROD HOLDER/ SKI & SNOWBOARD HOLDER



572/573 SERIES

PART NO: 572

PART NO: 573

These stylish locking arms provide a simple, effective method of locking down your gear without a fuss. This carrier will fit all leading crossbar brands.

- Internal Measurement = 250mm
- External Measurement = 395mm



MASTERKEY COMPATIBLE



Moulded rubber designed to secure rods into position



MULTI-PURPOSE HOLDER

PART NO: RMPHU

The Rhino-Rack Multi Purpose Holder is perfect for carrying fishing rods, ski poles & kayak paddles!



SKI & SNOWBOARD HOLDER

- Fits up to 6 pairs of skis / 4 snowboards
- Sold in a pair
- Key locking for security. Masterkey compatible
- Easy to use locking mechanism
- Rubber grip to position and secure your equipment
- Universal fit to suit the most popular roof racks on the market

PART NO.	INTERNAL DIMENSION	SUITABLE FOR SKI	SUITABLE FOR SNOWBOARDS
572	250mm	2	-
573	325mm	3	2
574	500mm	4	2
576	695mm	6	4



Rubber Grip Protection



Easy Locking Mechanism



Universal Mounting



C-Channel Mounting



UV PROTECTED



ANODISED SURFACE



RUST PROOF



MASTERKEY COMPATIBLE

HYBRID

BIKE CARRIER

PART NO: RBC050



Bike Adaptor

Fits 20" kids bikes up to 29" mountain bikes.



Fat Bike Adapter

For tyres up to 5" wide. Adapter sold separately.



Premium aluminium tray

Triple Security

3 locking points offer more security than the competitors

- Cover plate
- Handle
- Security cable

Masterkey Compatible

All 3 locking points are Masterkey compatible.



Universal Fit

Fits most popular roof racks on the market.



C-Channel Fit

Optional C-Channel fitment. Sold separately.



Lockable Handle

Easily secure the front wheel with no fuss.



Left or Right

Swing arm can be adjusted to driver or passenger side.



Security Cable

Lockable security cable included to secure bike frame to carrier.



Folds completely flat when not in use



LOW PROFILE



3×SECURITY



MASTERKEY COMPATIBLE



ROOF MOUNTED BIKE CARRIER



MOUNTAINTRAIL **PART NO: RBC035**



MASTERKEY COMPATIBLE

Features:

- Low profile
- Universal crossbar fit
- Fits all wheel dimensions
- Locks included to secure carrier to both the bicycle and roof bars
- Easily adjustable locking skewer
- Fits discs and standard brake systems
- Suitable for bikes up to 15kg
- Minimum cross bar spacing 55cm, maximum 101cm



ROAD WARRIOR **PART NO: RBC036**



MASTERKEY COMPATIBLE

Features:

- Low profile
- Suits most "C" Channel crossbar profiles
- Rear wheel strap fits all wheel dimensions
- Lockable
- Suits most types of bikes with either standard or disc brake systems
- Adjustable locking skewer
- Suitable for bikes up to 15kg
- Min. cross bar spacing: 55cm, max: 101cm



NEXUS 3

PART NO: RBC049

Features:

- Great for sedans, hatchbacks, minivans and SUVs
- Easy bike loading
- Carries up to 3 bikes
- 45kg load rating
- Black power coated
- No tools required



 **CARRYING CAPACITY**




DUAL TREKKER

PART NO: RBC048

Features:

- 2 bike platform carrier
- Fits both 2" & 1-1/4" hitch receivers.
- Mounts with a ratcheting arm over the front tyre. Rear wheel straps secure the bikes
- Access to the rear of your vehicle is always available, even when bicycles are loaded
- Carrier folds up and against the vehicle when not in use



**DUAL TREKKER
NUMBER PLATE HOLDER
PART NO:** RBCA028

 **CARRYING CAPACITY**

 **HITCH MOUNT**

REAR MOUNTED BIKE CARRIER



HITCH MOUNT BIKE CARRIER

PART NO: RBC038

Features:

- Fold down shaft for access to rear of vehicle
- Collapsible arms for easy storage
- Locking pins included
- Durable UV stabilised rubber securing straps
- Specialised threaded hitch pin to minimise wobble
- Includes 2 securing straps



CARRYING CAPACITY



FOLD DOWN SHAFT



HITCH MOUNT



BALL MOUNT BIKE CARRIER

PART NO: RBC008

Features:

- 4 bike carrier
- Top arm folds down when not in use
- Max 15kg per bike
- Folds down for boot/hatch access
- Includes 2 straps for securing the bikes
- Spanner included
- Recommended accessory RBCA011 (Number Plate Holder)



CARRYING CAPACITY



FOLD DOWN SHAFT



TOW BALL MOUNT



SPARE WHEEL BIKE CARRIER

PART NO: RBC025

Features:

- Easy fitment
- Ultra-light material
- 3 year warranty
- Carrying capacity of two bikes



CARRYING CAPACITY

Note: Not recommended for off road use or rear mounting on caravans

BIKE CARRIER ACCESSORIES



NUMBER PLATE HOLDER

PART NO: RBCA011

Where number plates are blocked by bike carriers an additional number plate must be mounted to the bike carrier. Number plates are available from your local road traffic authority. For more information check with your local traffic authority



BAR ADAPTOR

PART NO: RBCA021

The Bar Adaptor allows for use with oversize bike frames, childrens bikes and most ladies bikes. Capable of handling up to a 55mm headset and a seat tube diameter of 30mm.



THE CLAW

PART NO: RBCA010

Quick release fork mount bike carrier. Used for utilities, trailers and minivans.



BIKE CARRIER LOCKING CABLE

PART NO: RBCA023

- Lock your bikes to the hitch pin on the Rhino-Rack RBC044 bike carrier.
- 3.5m plastic-sheathed steel intertwined steel cords
- 2 keys included



BIKE CARRIER LOCKING CABLE

PART NO: RBCA024

- Lock your bikes to the hitch pin on the Rhino-Rack RBC008, RBC038 bike carriers.
- 3.5m plastic-sheathed steel intertwined steel cords
- 2 keys included



KEY LOCKING SKEWER

PART NO: RBCA022

Option available for quick release bike carriers.

ACCESS ALL AREAS WITH OUR

COMPLETE RANGE OF TRADE ACCESSORIES





LADDER RACKS



Perfect for Dual Cabs



RHINO-RACK EASY SLIDE



PART NO: MS15-680 (1.5m)

- Suits Rhino-Rack Vortex and Heavy Duty bars
- Slide width is 680mm wide
- Suitable for 1.5 metre step ladders

*Note: Straps are sold separately.
Fit Kit sold separately.*

RHINO-RACK EASY SLIDE



PART NO: MS15-470 (1.5m)

- Suits Rhino-Rack Vortex and Heavy Duty bars
- Slide width is 470mm wide
- Suitable for extension ladders

*Note: Straps are sold separately.
Fit Kit sold separately.*



WE HAVE A LARGE RANGE OF LADDER CARRIERS TO HELP YOU LOAD AND TRANSPORT YOUR LADDERS SAFELY

RHINO ECONOMY LADDER SLIDE KIT



PART NO: REGLK (to suit HD Bars)
PART NO: SEGLK (to suit VA Bars)

- To suit a 3 bar system
- This allows ladders to be carried safely on Rhino Heavy Duty Bars.
- The kit consists of:
 1 x RLS5 - Ladder Strap
 1 x RUH - Ladder Hoops
 3 x REG - Ladder Slides





RHINO-RACK EASY SLIDE



PART NO: RES (1 Pair)

- Used for ladders, timber planks and long items
- Can be used as a roller replacement
- Made from UV stabilised polyethylene

RHINO-RACK LADDER SLIDE



PART NO: REG (1 Pair to suit HD Bars)

PART NO: SEG (1 Pair to suit VA Bars)

Allows smooth and easy ladder loading and solid load holding capabilities all in one compact easy to use item.

RHINO-RACK ROLLERS



TO SUIT HD BAR

PART NO: RR540 (540mm)

PART NO: RR615 (615mm)

PART NO: RR680 (680mm)

PART NO: RR1375 (1375mm)

PART NO: RR1500 (1500mm)

PART NO: RR1650 (1650mm)

PART NO: RR1800 (1800mm)

TO SUIT VA BAR

PART NO: SR470 (470mm)

PART NO: SR540 (540mm)

PART NO: SR615 (615mm)

PART NO: SR680 (680mm)

Replacement roller mounting brackets available

MULTI SLIDE LADDER RACK

FEATURES

- All slides are manufactured from high impact, wear resistant materials
- All components supplied are anti-corrosive
- Multi-slide system can be customised to fit different ladder sizes
- The slides allow ladders to be loaded and unloaded with minimal effort from the rear of the vehicle
- Fits Rhino Heavy Duty and Aero Bars

PART NO: MS35-680 (3.5m)

PART NO: MS30-680 (3.0m)

PART NO: MS26-680 (2.6m)

PART NO: MS30-470 (3.0m)

PART NO: MS35-470 (3.5m)

PART NO: MS40-470 (4.0m)

Perfect for Dual Cabs

PART NO: MS15-470 (1.5m)

PART NO: MS15-680 (1.5m)



CONDUIT CAP

Crash tested, ribbed conduit end cap. Supplied with secure wire trace for easier operation.



MASTERKEY COMPATIBLE



LADDER SLIDES

Low friction polypropylene slides have easy adjustable positioning to suit various length ladders.



LADDER HOOPS

Two piece height adjustable ladder hoop attached to rails to allow for most ladder sizes.

NB: Ladder not included



RHINO LADDER RUBBER MOUNTS (2)

PART NO: RLRM

These rubber mounts are perfect for securing a ladder rack across your cab and canopy. Designed in a way that absorbs shock and movement these mounts offer greater protection for not only your gear but also your vehicle.




CONDUIT

3mtr/100mm diameter
3mtr/150mm diameter
4.6mtr/100mm diameter
4.6mtr/150mm diameter



CONDUIT CLAMP

PART NO: BC3
100mm clamp. (1pr)
PART NO: BC3-150
150mm clamp. (1pr)



LADDER STRAP

Camloc type features "snap on" fastening shackle. Secures your ladder quickly and easily.



BULL NOSE SLIDES

Rear slides allow effortless ladder loading.



CABLE LOCK

Attaches to ladder rail. (ladder rail mount shown)

LADDER REST

Supports to minimise the ladder catching the roof during the loading/unloading process



LOCK TABS

The Locking Tab has been specifically designed to secure the ladder rack to your cross bars. Sold as an individual unit, the locking tab includes the nuts and bolts required for fitting.



EXTENSION LADDER RACK



PART NO: CSL
Suitable for 2.6 metre step ladders
Roller is 680mm wide

PART NO: CSL3
Suitable for 3.0 metre step ladders
Roller is 470mm wide

PART NO: CSL4
Suitable for 4.0 metre step ladders
Roller is 470mm wide

Built from anti corrosive materials this ladder rack is capable of withstanding all manner of extreme environments and weather conditions.

Fully OH&S compliant, rigorously crash tested ladder rack system. It features a rear roller that will allow you to effortlessly load and unload your ladder.

- Features:
- Includes ladder hoop
 - Includes RLS5 Ladder strap to secure your ladder

NB Our Extension Ladder Rack fits to Rhino-Rack Heavy Duty bars (sold separately).

MULTI SLIDE STEP OR EXTENSION LADDER RACK



2.6 M
PART NO: MS26-470 - Extension
PART NO: MS26-680 - Step

3M
PART NO: MS30-470 - Extension
PART NO: MS30-680 - Step

- Slide width is 470mm wide
- Suitable for 2.6 metre extension ladders
- Includes ladder hoop
- Includes RLS5 Ladder strap to secure your ladder

SLIDE OUT LADDER LOADER



PART NO: T7-SLRS

- Slide out mechanism to allow easier access to your ladder
- Slide out mechanism protects damage to your vehicle and to yourself
- A roller fitted to the end to allow you to easily slide your ladder on and off
- Easy slides fitted to enable simple loading and unloading
- Ladder strap and lock to secure your ladder (optional)
- Ladder hoops to provide added security
- 2.2m in length which slides out an extra 750mm



Slide out mechanism

Note: Fitting kits are required to fit the T7-SLRS to your roof racks and are sold separately.

OHS LADDER LOADER



PART NO: OHS001

Suits extension ladder with van height of 2.4 to 2.5m

PART NO: OHS002

Suits step ladder with van height of 2.5

PART NO: OHS003

Suits extension ladders with van height of 2.5 to 2.8m

PART NO: OHS004

Suits step ladder with van height of 2.5 to 2.8m

The OHS Ladder Loader allows you to load and unload a ladder from a high roof vehicle quickly, easily and safely. Australian designed and built, the Rhino OHS Ladder Loader aids in safety, significantly reducing the risk of a manual handling injury. It has also been designed in line with current Australian Work Health & Safety Regulations.



SECURING

Securing your load in the right way helps prevent injury and damage.



RHINO LOAD HOLDER

PART NO: RLH1 (Suits Rhino-Rack HD Bars)

PART NO: RLH2 (Suits Rhino-Rack VA Bars & Pioneer range)

- Position your load so it doesn't slide in transit
- Height adjustable to cater for different size loads.
- Quick release for easy adjustment
- Sold in a pair



RATCHET GRAB

PART NO: RRG (to suit HD Bars)

PART NO: SRG (to suit VA Bars)

- Stainless Steel
- 2m strap included
- Attaches to the crossbar
- Load Rating: 220 kg



LADDER STRAP

PART NO: RLS5 (to suit HD Bar)

PART NO: SLS5 (to suit VA Bar)

PART NO: SLS45 (to suit VA Bar)

PART NO: RLS5-15 (to suit HD Bar)

- Camloc type features "snap on" fastening shackle. Secures your ladder quickly and easily



EYEBOLT

PART NO: REB (1pr) to suit HD Bar

PART NO: S604 (1pr) to suit VA Bar

- Ideal for use with all of our Ratchet Grab products.



RHINO J BOLT

PART NO: RJBS (205mm)

PART NO: RJBL (250mm)

- Quick and easy accessory that allows you to safely secure a spare wheel to a Rhino-Rack Heavy Duty crossbar
- Hook spacing 43mm
- Hook thread 105mm



T-BOLT

PART NO: STB16 (2pr)

PART NO: STB25 (2pr)

- Used for a variety of mounting applications Rhino-Rack Heavy Duty Bar with ease



LADDER PEG

PART NO: RSLP (Small 75 mm (1pr))

PART NO: RMLP (Medium 135 mm (1pr))

PART NO: RLLP (Large 210 mm (1pr))

- Used for a variety of mounting applications Rhino-Rack Heavy Duty Bar with ease
- Perfect for positioning ladders



CABLE LOCK

PART NO: RLLB

- A great easy solution for locking your ladders to your Rhino-Rack Heavy Duty Bars.



RATCHET GRAB

PART NO: RRG Length 2m

PART NO: RRG1 Length 3m

PART NO: RRG2 Length 4.5m

- Secure your load with confidence
- Strap made from high-grade webbing
- Load rating up to 680 kg
- High quality, durable stainless steel

CONDUITS



LOCKING END CAP

Black

PART NO: LSE100 (2)

PART NO: LSE100H (1)

Safety Orange

PART NO: LSE101 (2)

PART NO: LSE101H (1)



- Two conduit locking end caps are included
- Suits 100mm PVC pipes (4 inches)
- Integrated lock, Masterkey™ compatible
- O-Ring seal reduces dust and water build up inside the conduit pipe
- Locking end cap sits flush with internal conduit pipe so there is no interference with your conduit load
- Lid remains open even when your vehicle is parked on an incline
- Double wall internal pivot plate
- Dynamic testing to AS1235:2000
- Crash tested to ISO11154:2006
- Recommended maximum carrying capacity is 15kg
- 5 Year Warranty



MASTERKEY COMPATIBLE



CONDUIT

PART NO: P30-100
(3mtr/100mm diameter)

PART NO: P30-150
(3mtr/150mm diameter)

PART NO: P46-100
(4.6mtr/100mm diameter)

PART NO: P46-150
(4.6mtr/150mm diameter)



CONDUIT REINFORCED END CAP

PART NO: BCW-C
(Copper Conduit Endcap)

• Rated to 15kgs



CONDUIT END CAP

PART NO: BCW (1) (100mm orange)

PART NO: BC150 (1) (100mm orange)

- Secure wire trace to prevent loss
- Ribbed for extra grip
- Crash tested for proven reliability



CONDUIT END CAP & SLEEVE

PART NO: BEC (100MM)

PART NO: BEC150 (150MM)

- Secure wire trace to prevent loss
- Ribbed for extra grip
- Crash tested for proven reliability



CONDUIT CLAMP

PART NO: RPC4 (2)
(100mm clamp. To suit HD Bars)

PART NO: RPC6 (2)
(150mm clamp. To suit HD Bars)

PART NO: SPC4 (2)
(100mm clamp. To suit VA Bars)

PART NO: SPC6 (2)
(150mm clamp. To suit VA Bars)



CONDUIT CLAMP

PART NO: BC2 (100mm clamp. (2))

PART NO: BC3 (100mm clamp. (3))

PART NO: BC4 (100mm clamp. (4))

PART NO: BC2-150 (2) (150MM)

PART NO: BC3-150 (2) (150MM)

- Attaches 100mm conduit to the Rhino Heavy Duty Bar

WE SPECIALISE IN BRACKETS

Need a safe solution to secure your equipment? We have a range of brackets designed to help you attach your gear. **For custom solutions and advice please contact your local Rhino-Rack specialist.**

- ✓ Aerial
- ✓ 4WD Driving
- ✓ Trade
- ✓ General

A E R I A L



MULTI-PURPOSE

PART NO: RMPB

BARS	USE
Rhino-Rack Heavy Duty	Aerial Lights



AERIAL MOUNT KIT

PART NO: RAMK

BARS	USE
Rhino-Rack Heavy Duty	Aerial



VORTEX AERIAL BRACKET

PART NO: S613

BARS	USE
Rhino-Rack Vortex	Aerial



AERIAL MOUNT BRACKET KIT

PART NO: RABK

BARS	USE
Rhino-Rack Heavy Duty	Aerial

L I G H T S



BEACON MOUNTING PLATE

PART NO: RBP (to suit HD)

PART NO: SBP (to suit VA)

BARS	USE
Rhino-Rack Heavy Duty	Beacon Light



RHINO BEACON PLATE-CAB BAR MOUNT

PART NO: RBP-CBM

BARS	USE
Rhino-Rack Heavy Duty	Beacon Light



VORTEX WORK LIGHT BRACKET

PART NO: SWLB

BARS	USE
Rhino-Rack Vortex	Beacon Light



LIGHT ANGLE BRACKET

PART NO: RLAB

BARS	USE
Rhino-Rack Heavy Duty	Lights



HIGH LEVEL TAIL BRACKET

PART NO: RHLTL

BARS	USE
Rhino-Rack Vortex	Lights




LIGHT MOUNT BRACKET

PART NO: RWLB

BARS	USE
Rhino-Rack Heavy Duty	Lights Aerials

We have a range of **all purpose plates** ideal for various applications such as setting up roof rack bars in custom configurations.

For specialist advice talk to your local Rhino-Rack dealer





RHINO-RACK UNIVERSAL

PART NO: 31111

BARS	AWNING
Rhino-Rack Vortex Heavy Duty Pioneer range	Most popular



RHINO-RACK VA/HD

PART NO: 31108

BARS	AWNING
Rhino-Rack Vortex Heavy Duty	Foxwing



RHINO-RACK HD

PART NO: 32102

BARS	AWNING
Rhino-Rack Heavy Duty	Sunseeker



RHINO-RACK EURO

PART NO: 31105

BARS	AWNING
Rhino-Rack Euro Prorack P, Carac Thule (Square Bar)	Foxwing



RHINO-RACK HD

PART NO: 31102

BARS	AWNING
Rhino-Rack Heavy Duty	Foxwing



RHINO-RACK PIONEER TRAY

PART NO: 43100

BARS	AWNING
Rhino-Rack Pioneer range	Foxwing + Sunseeker



SUNSEEKER AWNING ANGLED DOWN BRACKET

PART NO: 32127

BARS	AWNING
Rhino-Rack flush bars	Sunseeker



RHINO-RACK VA/HD

PART NO: 32114

BARS	AWNING
Rhino-Rack Vortex Heavy Duty	Sunseeker



TRACKLANDER TRAY

PART NO: 31104

BARS	AWNING
Tracklander	Foxwing



ARB/TJM TRAY

PART NO: 31103

BARS	AWNING
ARB/TJM	Foxwing



SUNSEEKER AWNING ANGLED UP BRACKET

PART NO: 32123

BARS	AWNING
Rhino-Rack flush bars	Sunseeker



THULE ROOF RACKS

PART NO: 31105

BARS	AWNING
Rhino-Rack Pioneer range	Foxwing



FIXING BRACKET

Part# A116B

- Right angle fastening bracket
- Hardware included



T SHAPE FITTING PLATE

Part# C641

- Black powder coated steel
- 8mm hardware required



L SHAPE FLAT FITTING PLATE

Part# C642

- Black powder coated steel
- 8mm hardware required



Z SHAPE FITTING PLATE

Part# C637

- Black powder coated steel
- 8mm hardware required



FLAT FITTING PLATE

Part# C638

- Black powder coated steel
- 8mm hardware required



L SHAPE UPRIGHT FITTING PLATE

Part# C640

- Black powder coated steel
- 8mm hardware required

Rhino-Rack

Environmental Policy

Rhino-Rack Australia is committed to the protection of the environment and the reduction of environmental impacts from our operations. This commitment applies across the whole of our business covering the design, manufacture & distribution of motor vehicle roof racks and accessories. As part of this commitment Rhino-Rack Australia Pty Limited will:

- Comply with ISO 14001 the International Standard for Environmental Management Systems and with all applicable legal and regulatory requirements.
- Work to prevent pollution and to achieve continual improvement in environmental performance by having operating procedures necessary to identify, monitor and mitigate the impact of our operations on the environment.
- Establish programmes to achieve agreed environmental targets and objectives.
- Plan for and conduct site operations in a manner that safeguards health and safety whilst minimising environmental impacts.
- Communicate our environmental policy to employees, suppliers, contractors & other interested parties to encourage participation in achieving our environmental objectives.
- Promote this commitment by making this policy available to the public.

Visit our web site www.rhinorack.com.au / www.rhinorack.co.nz / www.rhinorack.com for information on:

- Comprehensive Vehicle Fitting Guide
- Product range
- Your closest authorised Rhino-Rack dealer
- Latest news and information
- Installation instructions
- And much more!





RHINO-RACK

AUSTRALIA
rhinorack.com.au

USA
rhinorack.com

NEW ZEALAND
rhinorack.co.nz



 Like us on
facebook.com/RhinoRack

 Watch us on
youtube.com/RhinoRackAustralia

 FOLLOW
[@rhino_rack](https://instagram.com/rhino_rack)